

Notice of Authorization

Under Vermont Construction General Permit 3-9020
For Low Risk Projects



Project Name: ACTR Bus/Maintenance Facility	Notice of Intent Number: 6884-9020
Permittee Name: Vermont Agency of Transportation	Date of Authorization: 8/28/2012
	Date of Expiration: 8/28/2014

The project listed above has received authorization under General Permit 3-9020 to discharge stormwater from the following construction activities: Construction of a bus maintenance facility and offices, parking, utilities, and permanent stormwater system.

This authorization includes the following requirements:

1. Implementation of erosion prevention and sediment control practices required by the Low Risk Site Handbook for Erosion Prevention and Sediment Control.
2. All areas of disturbance must have temporary or final stabilization within **14 days** of the initial disturbance. After this time, all disturbed soil must be stabilized at the end of each work day. Between October 15 and April 15 all disturbed soil must be at the end of each work day. The following exceptions apply:
 - a. Stabilization is not required if work is to continue in the area within the next 24 hours and there is no precipitation forecast for the next 24 hours.
 - b. Stabilization is not required if the work is occurring in a self-contained excavation (i.e. no outlet) with a depth of 2 feet or greater (e.g. house foundation excavation, utility trenches).
3. No more than **2 acres** of land may be disturbed at any one time.
4. No disturbance shall occur within 50 ft upslope of any stream or river, or 100 ft of any lake or pond (except disturbance for the installation of Stormwater treatment facilities or road Stream crossing with no reasonable alternative location).
5. Inspections shall be conducted at least once every (7) calendar days and within twenty-four (24) hours of the end of a storm event resulting in discharge of Stormwater from construction site.
6. If there is a discharge of visibly discolored stormwater from the construction site or from the construction site to waters of the State, the permittee shall take immediate corrective action.
7. If, after completing corrective action, there continues to be a discharge of sediment from the construction site to waters of the State, the permittee shall notify DEC by submitting a report within 72 hours of the discharge.

To request information on this authorization, or to report compliance concerns, please contact the Watershed Management Division at (802) 338-4835 or write to:

VT DEC, Watershed Management Division
103 South Main Street, Bldg 10 North
Waterbury, VT, 05671-0408

See next page for posting requirements

Permittee Directions for Posting:

This notice shall be placed near the construction entrance at a location visible to the public. If displaying near the main entrance is infeasible, the notice shall be posted in a local public building such as the town hall or public library. For linear projects, the notice shall be posted at a publicly accessible location near the active part of the construction project (e.g., where a pipeline project crosses a public road).